



October – November 2011

Administrative Members and contact details	2
President's Report	3
Coming events for members	
Meeting Agendas	4
New Members	4
AKA Auction Dates	4
KSA Auction Dates	5
Redfish Magazine	5
Buy, swap and sell	6
Tategoi of the Year Competition	8
AKA Annual Young Koi Show	10
Koi Critique: Tancho Yamatonishiki	13
A basic guide to classifying koi	14
Table Show results	28

Thank you to our advertisers...

Australian Koi Farm	Inside Front Cover
Koi Keeper's Supplies	6
Australian Pet Supplies	7
Clear Pond	11
AKA Members' Supplies	Inside back cover
Aquarious Multifilter	Back cover

AKA Reporter is published by the Australian Koi Association Inc.

ABN 91 669 147 584

Advertising enquiries:

Gordon Kilborn 02 9153 9012 or 0429 664 916

Newsletter production www.petergibson.com.au

All correspondence

The Secretary, Australian Koi Association,
17 Westmore Drive, West Pennant Hills NSW 2125

© 2011 Australian Koi Association Inc.

Disclaimer

The opinions expressed in this magazine are those of the authors, and do not necessarily represent those of the Australian Koi Association or its management. Nor does the Association accept responsibility for the claims made by advertisers or members in respect of any service or items offered for sale herein.

The Australian Koi Association Inc.

Executive Officers

President	Paul Miglionico	9862 0472
Vice President	Arthur Johnston	9759 3226
Secretary	Ian Andrews	0418 255 897
Treasurer	Bryce Hough	9724 5860 (Ph/Fax) or 0408 882 025
Public Officer	John Rhodes	9661 4735

Committee Members

Show Coordinator	Vacant	
Membership Officer	Heinz Zimmermann	9727 9528 / 0428 478 594 (Subscriptions to 55 Orchard Road BASS HILL NSW 2197)
Supply Officer(s)	Ron & Max Farrugia	9533 2546 / 0403 029 532
Auction Master	Ken Cantrill	9521 1777 / 0450 630 756
Assistant Auction Master	Graham Fameli	0412 304 190
AKA Reporter:		
Editor	Ian Andrews	0418 255 897
Editing Group	John Ling	0411 156 648
	Kate McGill	9871 2483
Advertising/Distribution	Gordon Kilborn	9153 9012 / 0429 664 916

Committee Support Panel

Publicity	Miryana Brault	9674 1343
	Alf Mizzi	9555 6497
Librarians	Carol & David Durrant	9834 4993 0415 655 063
Catering	George & Betty Ludbrook	9602 2493
Social Secretary	Miryana Brault	9674 1343
Sizing & Assets	John Rhodes	9661 4735
Committee	Bryce Hough	9724 5860 (Ph/Fax) or 0408 882 025
	Barbara Walter	9773 7719
	Terry McNeil	9824 0303 (Ph/Fax)
	Kate McGill	9871 2483
	Kevin Wong	0418 182 818

Website **www.akakoi.com** Web Master: Harry Watson

Life Members

Ethel Allen*; Jack Cohen*; Mary Cohen; Max Farrugia; Ron Farrugia; Gordon Kilborn; Yvonne Louis; Dorothy Miglionico; Paul Miglionico; Ken Newton; Dave Pogson*; Arthur Robinson; Alan Walter*; Barbara Walter; Harry Watson; Robert Wood*.

**Deceased*

All correspondence

The Secretary, Australian Koi Association
17 Westmore Drive, West Pennant Hills NSW 2125

President's Report



This will be my last report as your current President, having announced my intention to stand down. A new chairperson will be elected at our forthcoming Annual General Meeting to be held at our November meeting.

Formally, I would like to offer my personal thanks to all the loyal and hardworking Committee members for their dedication and hard work over the many years I have served. It has been an honor to head such a great koi club and I know it will continue to grow and prosper in the future.

A special mention also to Harry Watson, our web founder and our longtime webmaster who is currently doing battle with his health and has stepped down from the web master's task. On behalf of the Club, Harry our thoughts and prayers and many, many thanks for all your efforts, enjoy the Bathurst car races in October. Rest assured Harry that it is the intention that the club will continue to operate the web site and we hope to be able to get it back up to full strength very shortly, revamping it to be one of the most informative koi web sites around.

Our October meeting Ian and Kate will report on their trip to participate at the **Taiwan Koi Show** held the previous weekend in Taipei, which will make a very interesting evening, as there will be over 1000 very high quality koi entered.

Our November meeting will be our **Annual General Meeting** for the election of a new Committee for the next 12 months. It is very important that we try to attract some new faces to join in and help with the operational side of the AKA. This year we will be seeking new President, Show Chairperson and Webmaster.

Also at our November meeting we have invited new member **Martin Roccliffe**, who up until his recent immigration to Sydney, was the

President of the North Wales Koi Club. Martin will give us an informative talk on **Koi Keeping from Old North Wales to New South Wales**.

As well on this evening we will be holding our Table Show Grand Final, where all the previous winning Judges Choices throughout the year will compete against one another to select our **Tategoi of the Year** competition

The weather at this time of year is often very unstable and for those members who may wish to breed their koi, it is often better to wait till the middle of October or into November as a sudden cold snap is often fatal to the newly hatched fry. Don't forget to fully treat your breeding ponds etc in preparation to spawning.

A reminder to all members to please make every effort to enter our **Annual Small Koi Show** (Size 1, 10-20 cm) being held in conjunction with our **Christmas Party on Sunday 4th December** at our club hall. We hope to see a huge number of koi entered.

Yours in koi...

Paul Miglionico

AKA Small Koi Show & Christmas Party

Size 1 (10-20 cm)

Sunday 4th December 2011

Scottish Hall Bankstown

Coming events for members

Meetings are held at the Scottish Hall, 4 Weigand Avenue, Bankstown on the first Wednesday of each month at 7.30 pm.

October Meeting

The October General Meeting of the Australian Koi Association Inc will be held at the Scottish Hall, 4 Weigand Avenue Bankstown on Wednesday 5 October 2011 at 7.30 pm.

AGENDA

1. Welcome to new members and guests
2. Apologies
3. Confirmation of minutes of previous monthly general meeting held 7 September 2011
4. Raffle
5. Reports
6. General Business
7. **Guest speakers Ian Andrews and Kate McGill will report on their trip to participate at the Taiwan Koi Show.**
 - 8. Pizzas and nibbles
9. Table Show Results
10. Raffle Draw

November Meeting

The November Meeting and Annual General Meeting of the Australian Koi Association Inc will be held at the Scottish Hall, 4 Weigand Avenue Bankstown, Wednesday 2 November 2011, 7.30 pm.

AGENDA

1. Welcome to new members and guests
2. Apologies
3. Confirmation of minutes of previous monthly general meeting held 5 October 2011

4. Raffle
5. Reports
6. General Business
7. **Guest speaker: Martin Rocliffe, Koi Keeping from Old North Wales to New South Wales**
8. Social Break
9. Table Show Results
10. Raffle Draw

New members

New members are always assured of a friendly welcome when attending the AKA's monthly meetings. Help and advice is available if required and our Supply Officers can provide you with koi food and accessories at favourable prices. Call our membership officer (see details on page 2) for more information or use the application form included in this magazine.

Welcome to the following new members:

Martin Rocliffe

AKA auction dates

Held at Auburn Botanic Gardens (entry from Killeen Street, Auburn). Commencing at 10.00 am. Quality fish at reasonable prices! Food and refreshments available. Fish food and other fish keeping supplies also available.



Bankstown City
NSW Chapter
Zen Nippon Airinkai

Sunday 16th October 2011
Sunday 11th December 2011

Facebook

The AKA has started a Facebook page...go to Facebook and search for 'Australian Koi Association' or direct to www.facebook.com/AustralianKoiAssociation.



KSA auction dates

Commencing 10.00 am at Auburn Botanical Gardens:

Sunday 20th November 2011

The sale of koi by members of the AKA can

only take place between members of koi clubs and associations only, as per NSW Department of Primary Industries (Fisheries) guidelines.

Redfish Magazine

AKA Members are invited to take up the offer of a free subscription to a new on-line e-magazine called Redfish. This new magazine will include articles on koi from time to time.

Also we hope to be able to promote our Club and AKA Auction days in this newsletter also which hopefully will increase membership and bidders at forthcoming auctions.

Sign up now its free. See below for details.



Redfish
the free fishkeeping magazine

Release date: 18-07-2011
Web: www.redfishmagazine.com.au
Facebook: www.facebook.com/redfishmagazine
Email: enquiries@redfishmagazine.com.au

TROPICAL ♦ MARINE ♦ REEF ♦ COLDWATER ♦ KOI ♦ POND

KOIKEEPER'S SUPPLIES

ABII: 12793930414

For all your pond requirements:

Air Pumps and Accessories
Bio Balls (sold by the Litre)
Bio Super Concentrate
Complete Pond Design
Filters – Custom Made & Kits
Filtration Media
Food – Quality Hi-Protein
Pumps for all sized ponds
PVC Pipe and Fittings
Ultraviolet Water Clarifiers
Valves and Venturies

Quality Koi on Display



CARL & DIANNA BANNING
ENGADINE 2233
Phone: 02 – 9520 7895
Mobile: 0412 613 948

NOW IN STOCK

New Range of Solid
Stainless Steel UV
Clarifiers

Ask about our
Great Price!



Buy, swap and sell

Buy, swap and sell notices can be placed free by members. Please call Ian Andrews on 0418 255 897 or email [ian.andrews@fujifilm.com.au](mailto:andrews@fujifilm.com.au) for more information.

For sale:

Heavy duty pond liner, 9 m x 9 m x 2.5 mm thick EPDM rubber, as new, never been used \$1100

40 W UV light stainless steel \$300

Air pump 420 litres/minute Halea as new \$300

Contact Dave Ph 0408 442 489

Wanted:

Oval Reln 1000 litre Tank in good condition

Please call Nick Christie Ph 9525 2524

The Australian Koi Association does not accept responsibility for the quality of any items or any transactions advertised under Buy, Swap and Sell.



Australian Pet Supplies Pty Ltd are manufacturers of top quality pellets and flake foods for ornamental fish. Top ingredients, listed below, provide for your fish all protein, minerals and vitamins to maintain healthy growing Koi fish.

Products are all fully manufactured in Australia and are available from your supply officer.

Our Goldfish and Tropical Pellets and Flakes contain the following ingredients in varying amounts:

- | | | |
|-----------------|---|------------------------|
| WHEAT | FOLIC ACID | RICE FLOUR |
| RIBOFLAVIN (B2) | SPIRULINA | VITAMIN B12 |
| FISH MEAL | BIOTIN | SOYA BEAN MEAL |
| PYRIDOXINE B6 | CHLORINE CHLORIDE | KELP FLOUR |
| COBALT | TUNA OIL | IODINE |
| DRIED YEAST | COPPER | WHEATGERM |
| IRON | VITAMIN A | MANGANOUS OXIDE |
| VITAMIN B TOTAL | ZINC | VITAMIN E |
| ETHOXYQUIN | MENADIONE | ANTI-TOX |
| NICOTINIC ACID | THIAMINE B1 | CALCIUM B PANTOTHENATE |
| COLOUR | ASCORBIC ACID (especially developed for the aquaculture industry) | |

Tategoi of the Year Competition

It's time again for our Tategoi of the Year competition - at our November meeting all the previous Monthly Table Show winners from the past year will line up against one another to compete for the Tategoi of the Year Trophy. Here are all the monthly winners with the exception of the October Judge's Choice that

was selected after we printed this issue.

Think you can pick the ultimate winner? Come along on Wednesday 2 November and see who the winner is!

There will be no table show entrants, just the Tategoi of the Year competitors.



January: Kohaku, John Ling



**February: Asagi,
Christopher Miglionico**



**April: Shiro Utsuri,
Terry McNeill & Lex
Rayment**



**May: Kohaku, Terry
McNeil and Lex
Rayment**



June: Asagi, Betty & George Ludbrook



July: Asagi, Ian Andrews & Kate McGill



September: Hikari Utsuri (Kin Ki Utsuri), Fred & Rita Grech



August: Kohaku, Terry McNeil & Lex Rayment

AKA Annual Young Koi Show

Despite the dreadful weather on the day, AKA once again hosted our Annual Young Koi Show for Size 2 and Size 3 koi. This year saw 152 beautiful koi entered across all 18 classifications and under the judging expertise of Gerard and Kazuyo McDonald they managed to complete the judging task well before lunch.

This year, possibly for the first time ever (and before the judges had made any announcements), saw a “unanimous decision” with all competitors singling out the same koi as their personal choice for Grand Champion—a truly wonderful Kinginrin Koromo bred and raised by Graham and Lee Fameli.

The judges formally sealed the decision and another home grown Aussie koi was anointed Grand Champion.

The full story on the Show and all the winning koi will appear in the next issue of our magazine.



The 2011 Young Koi Show Grand Champion. What a superb koi... even the Japanese would be proud.



Graham Fameli with his newly crowned Grand Champion.



The show must go on—despite the miserable wet weather.



**CLEAR-POND PRODUCTS,
SINCE 1976 A LEADER IN
BIO ECOLOGICAL
WATER TREATMENT FOR
LAKES, WATERWAYS,
PONDS AND AQUARIUMS.**

CLEAR-POND formula - the forefront of the new Bio-Tech-nology products currently being developed by Universities throughout the world. This development is in response to our need for natural methods of cleaning pollutants from our environment, without the use of chemicals or other un-natural products detrimental to all life on earth.

CLEAR-POND PRODUCTS

THE ROLLS ROYCE OF BIO-ECOLOGICAL WATER CONDITIONS FOR AQUARI-UMS & PONDS

Made by AQUATIC BIOTECHNOLOGIES, INC. Ventura-California



How does **CLEAR-POND** work?

The answer lies in the diet preference of the various strains of bacteria. While decaying organic waste matter and foul gasses such as ammonia can create problems for fish, they are an attractive menu to **CLEAR-POND** bacteria.

By using **CLEAR-POND** fish stress and mortality will be noticeably reduced. The growth rate of your fish in **CLEAR-POND** treated water... **WILL SHOW IMPROVEMENT.**

All of our formulations contain naturally occurring bacteria and are safe, non-toxic, non-pathogenic, non-chemical and are beneficial for effluent use.

Overdoses pose **NO DANGER** to fish.

FOR MORE INFORMATION RING RON OR MAX ON (02) 9533 2546.



Koi Critique – Tancho Yamatonishiki

Tancho Yamatonishiki (Tahn' ch-oh Yay ma' tow knee she key)

Tancho koi are easy to classify in that red (*hi*) appears only on the head. The original Tancho is a bird, the Tancho crane, white with a circular red marking on the head. Like the flag, an ideal Tancho koi has a large round head *hi*, which does not cover eyes, shoulders or nose, but otherwise uses as much available forehead space as possible. In Tancho class, only Tancho equivalents of the “big three” koi varieties (Kohaku, Sanke & Showa), are included for show purposes. Other koi varieties, as demonstrated this month, may also produce a Tancho variant, but they are classified with the basic variety.

The Tancho koi featured is an Australian bred, metallic multi-patterned Hikarimoyo exhibited at the Australian Koi Society Young Koi Show in September 2009 bred & raised by John Ling. The closest classification is that of Tancho Yamatonishiki, the metallic version of a Tancho Sanke. However, there is a faint, pewter coloured reticulated effect visible over white skin, reminiscent of Goshiki patterning. If the koi were non-metallic, Tancho Goshiki Sanke would probably be a more accurate description of the koi, as viewed on this occasion.

Despite the slight question mark over its identity, this koi is a very attractive and interesting Hikarimoyo with an excellent shape for a young koi, good lustre and a clearly marked, deeply coloured and homogeneous Tancho marking. Notice the Sanke sumi has remarkable depth of colour for a metallic koi and is very neatly arranged along the back. Only minor demerits to note are a slight unevenness to the rim of the Tancho spot and a fleck of *hi* in one eye. An interesting and very unusual koi of excellent quality.

Kate McGill

AKA Small Koi Show & Christmas Party

Size 1 (10-20 cm)

Sunday 4th December 2011

Scottish Hall Bankstown

AKA Growth Food



Phone 02 9533 2546

5 kg

100% MANUFACTURED & FORMULATED IN AUSTRALIA

INGREDIENTS: Fish Meal, Wheat Flour, Soy Flour, Rice Flour, Spirulina, Vitamins, Amino Acids, Trace Elements, Yeast, Vitamins A, Vitamin B, Vitamins C, Vitamins D, Calcium B (Biotin), Vitamin E, Vitamin K, Vitamin L, Vitamin M, Vitamin N, Vitamin O, Vitamin P, Vitamin Q, Vitamin R, Vitamin S, Vitamin T, Vitamin U, Vitamin V, Vitamin W, Vitamin X, Vitamin Y, Vitamin Z, Vitamin AA, Vitamin AB, Vitamin AC, Vitamin AD, Vitamin AE, Vitamin AF, Vitamin AG, Vitamin AH, Vitamin AI, Vitamin AJ, Vitamin AK, Vitamin AL, Vitamin AM, Vitamin AN, Vitamin AO, Vitamin AP, Vitamin AQ, Vitamin AR, Vitamin AS, Vitamin AT, Vitamin AU, Vitamin AV, Vitamin AW, Vitamin AX, Vitamin AY, Vitamin AZ, Vitamin BA, Vitamin BB, Vitamin BC, Vitamin BD, Vitamin BE, Vitamin BF, Vitamin BG, Vitamin BH, Vitamin BI, Vitamin BJ, Vitamin BK, Vitamin BL, Vitamin BM, Vitamin BN, Vitamin BO, Vitamin BP, Vitamin BQ, Vitamin BR, Vitamin BS, Vitamin BT, Vitamin BU, Vitamin BV, Vitamin BW, Vitamin BX, Vitamin BY, Vitamin BZ, Vitamin CA, Vitamin CB, Vitamin CC, Vitamin CD, Vitamin CE, Vitamin CF, Vitamin CG, Vitamin CH, Vitamin CI, Vitamin CJ, Vitamin CK, Vitamin CL, Vitamin CM, Vitamin CN, Vitamin CO, Vitamin CP, Vitamin CQ, Vitamin CR, Vitamin CS, Vitamin CT, Vitamin CU, Vitamin CV, Vitamin CW, Vitamin CX, Vitamin CY, Vitamin CZ, Vitamin DA, Vitamin DB, Vitamin DC, Vitamin DD, Vitamin DE, Vitamin DF, Vitamin DG, Vitamin DH, Vitamin DI, Vitamin DJ, Vitamin DK, Vitamin DL, Vitamin DM, Vitamin DN, Vitamin DO, Vitamin DP, Vitamin DQ, Vitamin DR, Vitamin DS, Vitamin DT, Vitamin DU, Vitamin DV, Vitamin DW, Vitamin DX, Vitamin DY, Vitamin DZ, Vitamin EA, Vitamin EB, Vitamin EC, Vitamin ED, Vitamin EE, Vitamin EF, Vitamin EG, Vitamin EH, Vitamin EI, Vitamin EJ, Vitamin EK, Vitamin EL, Vitamin EM, Vitamin EN, Vitamin EO, Vitamin EP, Vitamin EQ, Vitamin ER, Vitamin ES, Vitamin ET, Vitamin EU, Vitamin EV, Vitamin EW, Vitamin EX, Vitamin EY, Vitamin EZ, Vitamin FA, Vitamin FB, Vitamin FC, Vitamin FD, Vitamin FE, Vitamin FF, Vitamin FG, Vitamin FH, Vitamin FI, Vitamin FJ, Vitamin FK, Vitamin FL, Vitamin FM, Vitamin FN, Vitamin FO, Vitamin FP, Vitamin FQ, Vitamin FR, Vitamin FS, Vitamin FT, Vitamin FU, Vitamin FV, Vitamin FW, Vitamin FX, Vitamin FY, Vitamin FZ, Vitamin GA, Vitamin GB, Vitamin GC, Vitamin GD, Vitamin GE, Vitamin GF, Vitamin GG, Vitamin GH, Vitamin GI, Vitamin GJ, Vitamin GK, Vitamin GL, Vitamin GM, Vitamin GN, Vitamin GO, Vitamin GP, Vitamin GQ, Vitamin GR, Vitamin GS, Vitamin GT, Vitamin GU, Vitamin GV, Vitamin GW, Vitamin GX, Vitamin GY, Vitamin GZ, Vitamin HA, Vitamin HB, Vitamin HC, Vitamin HD, Vitamin HE, Vitamin HF, Vitamin HG, Vitamin HH, Vitamin HI, Vitamin HJ, Vitamin HK, Vitamin HL, Vitamin HM, Vitamin HN, Vitamin HO, Vitamin HP, Vitamin HQ, Vitamin HR, Vitamin HS, Vitamin HT, Vitamin HU, Vitamin HV, Vitamin HW, Vitamin HX, Vitamin HY, Vitamin HZ, Vitamin IA, Vitamin IB, Vitamin IC, Vitamin ID, Vitamin IE, Vitamin IF, Vitamin IG, Vitamin IH, Vitamin II, Vitamin IJ, Vitamin IK, Vitamin IL, Vitamin IM, Vitamin IN, Vitamin IO, Vitamin IP, Vitamin IQ, Vitamin IR, Vitamin IS, Vitamin IT, Vitamin IU, Vitamin IV, Vitamin IW, Vitamin IX, Vitamin IY, Vitamin IZ, Vitamin JA, Vitamin JB, Vitamin JC, Vitamin JD, Vitamin JE, Vitamin JF, Vitamin JG, Vitamin JH, Vitamin JI, Vitamin JJ, Vitamin JK, Vitamin JL, Vitamin JM, Vitamin JN, Vitamin JO, Vitamin JP, Vitamin JQ, Vitamin JR, Vitamin JS, Vitamin JT, Vitamin JU, Vitamin JV, Vitamin JW, Vitamin JX, Vitamin JY, Vitamin JZ, Vitamin KA, Vitamin KB, Vitamin KC, Vitamin KD, Vitamin KE, Vitamin KF, Vitamin KG, Vitamin KH, Vitamin KI, Vitamin KJ, Vitamin KK, Vitamin KL, Vitamin KM, Vitamin KN, Vitamin KO, Vitamin KP, Vitamin KQ, Vitamin KR, Vitamin KS, Vitamin KT, Vitamin KU, Vitamin KV, Vitamin KW, Vitamin KX, Vitamin KY, Vitamin KZ, Vitamin LA, Vitamin LB, Vitamin LC, Vitamin LD, Vitamin LE, Vitamin LF, Vitamin LG, Vitamin LH, Vitamin LI, Vitamin LJ, Vitamin LK, Vitamin LL, Vitamin LM, Vitamin LN, Vitamin LO, Vitamin LP, Vitamin LQ, Vitamin LR, Vitamin LS, Vitamin LT, Vitamin LU, Vitamin LV, Vitamin LW, Vitamin LX, Vitamin LY, Vitamin LZ, Vitamin MA, Vitamin MB, Vitamin MC, Vitamin MD, Vitamin ME, Vitamin MF, Vitamin MG, Vitamin MH, Vitamin MI, Vitamin MJ, Vitamin MK, Vitamin ML, Vitamin MM, Vitamin MN, Vitamin MO, Vitamin MP, Vitamin MQ, Vitamin MR, Vitamin MS, Vitamin MT, Vitamin MU, Vitamin MV, Vitamin MW, Vitamin MX, Vitamin MY, Vitamin MZ, Vitamin NA, Vitamin NB, Vitamin NC, Vitamin ND, Vitamin NE, Vitamin NF, Vitamin NG, Vitamin NH, Vitamin NI, Vitamin NJ, Vitamin NK, Vitamin NL, Vitamin NM, Vitamin NN, Vitamin NO, Vitamin NP, Vitamin NQ, Vitamin NR, Vitamin NS, Vitamin NT, Vitamin NU, Vitamin NV, Vitamin NW, Vitamin NX, Vitamin NY, Vitamin NZ, Vitamin OA, Vitamin OB, Vitamin OC, Vitamin OD, Vitamin OE, Vitamin OF, Vitamin OG, Vitamin OH, Vitamin OI, Vitamin OJ, Vitamin OK, Vitamin OL, Vitamin OM, Vitamin ON, Vitamin OO, Vitamin OP, Vitamin OQ, Vitamin OR, Vitamin OS, Vitamin OT, Vitamin OU, Vitamin OV, Vitamin OW, Vitamin OX, Vitamin OY, Vitamin OZ, Vitamin PA, Vitamin PB, Vitamin PC, Vitamin PD, Vitamin PE, Vitamin PF, Vitamin PG, Vitamin PH, Vitamin PI, Vitamin PJ, Vitamin PK, Vitamin PL, Vitamin PM, Vitamin PN, Vitamin PO, Vitamin PP, Vitamin PQ, Vitamin PR, Vitamin PS, Vitamin PT, Vitamin PU, Vitamin PV, Vitamin PW, Vitamin PX, Vitamin PY, Vitamin PZ, Vitamin QA, Vitamin QB, Vitamin QC, Vitamin QD, Vitamin QE, Vitamin QF, Vitamin QG, Vitamin QH, Vitamin QI, Vitamin QJ, Vitamin QK, Vitamin QL, Vitamin QM, Vitamin QN, Vitamin QO, Vitamin QP, Vitamin QQ, Vitamin QR, Vitamin QS, Vitamin QT, Vitamin QU, Vitamin QV, Vitamin QW, Vitamin QX, Vitamin QY, Vitamin QZ, Vitamin RA, Vitamin RB, Vitamin RC, Vitamin RD, Vitamin RE, Vitamin RF, Vitamin RG, Vitamin RH, Vitamin RI, Vitamin RJ, Vitamin RK, Vitamin RL, Vitamin RM, Vitamin RN, Vitamin RO, Vitamin RP, Vitamin RQ, Vitamin RR, Vitamin RS, Vitamin RT, Vitamin RU, Vitamin RV, Vitamin RW, Vitamin RX, Vitamin RY, Vitamin RZ, Vitamin SA, Vitamin SB, Vitamin SC, Vitamin SD, Vitamin SE, Vitamin SF, Vitamin SG, Vitamin SH, Vitamin SI, Vitamin SJ, Vitamin SK, Vitamin SL, Vitamin SM, Vitamin SN, Vitamin SO, Vitamin SP, Vitamin SQ, Vitamin SR, Vitamin SS, Vitamin ST, Vitamin SU, Vitamin SV, Vitamin SW, Vitamin SX, Vitamin SY, Vitamin SZ, Vitamin TA, Vitamin TB, Vitamin TC, Vitamin TD, Vitamin TE, Vitamin TF, Vitamin TG, Vitamin TH, Vitamin TI, Vitamin TJ, Vitamin TK, Vitamin TL, Vitamin TM, Vitamin TN, Vitamin TO, Vitamin TP, Vitamin TQ, Vitamin TR, Vitamin TS, Vitamin TT, Vitamin TU, Vitamin TV, Vitamin TW, Vitamin TX, Vitamin TY, Vitamin TZ, Vitamin UA, Vitamin UB, Vitamin UC, Vitamin UD, Vitamin UE, Vitamin UF, Vitamin UG, Vitamin UH, Vitamin UI, Vitamin UJ, Vitamin UK, Vitamin UL, Vitamin UM, Vitamin UN, Vitamin UO, Vitamin UP, Vitamin UQ, Vitamin UR, Vitamin US, Vitamin UT, Vitamin UY, Vitamin UZ, Vitamin VA, Vitamin VB, Vitamin VC, Vitamin VD, Vitamin VE, Vitamin VF, Vitamin VG, Vitamin VH, Vitamin VI, Vitamin VJ, Vitamin VK, Vitamin VL, Vitamin VM, Vitamin VN, Vitamin VO, Vitamin VP, Vitamin VQ, Vitamin VR, Vitamin VS, Vitamin VT, Vitamin VY, Vitamin VZ, Vitamin WA, Vitamin WB, Vitamin WC, Vitamin WD, Vitamin WE, Vitamin WF, Vitamin WG, Vitamin WH, Vitamin WI, Vitamin WJ, Vitamin WK, Vitamin WL, Vitamin WM, Vitamin WN, Vitamin WO, Vitamin WP, Vitamin WQ, Vitamin WR, Vitamin WS, Vitamin WT, Vitamin WY, Vitamin WZ, Vitamin XA, Vitamin XB, Vitamin XC, Vitamin XD, Vitamin XE, Vitamin XF, Vitamin XG, Vitamin XH, Vitamin XI, Vitamin XJ, Vitamin XK, Vitamin XL, Vitamin XM, Vitamin XN, Vitamin XO, Vitamin XP, Vitamin XQ, Vitamin XR, Vitamin XS, Vitamin XT, Vitamin XZ, Vitamin YA, Vitamin YB, Vitamin YC, Vitamin YD, Vitamin YE, Vitamin YF, Vitamin YG, Vitamin YH, Vitamin YI, Vitamin YJ, Vitamin YK, Vitamin YL, Vitamin YM, Vitamin YN, Vitamin YO, Vitamin YP, Vitamin YQ, Vitamin YR, Vitamin YS, Vitamin YT, Vitamin YZ, Vitamin ZA, Vitamin ZB, Vitamin ZC, Vitamin ZD, Vitamin ZE, Vitamin ZF, Vitamin ZG, Vitamin ZH, Vitamin ZI, Vitamin ZJ, Vitamin ZK, Vitamin ZL, Vitamin ZM, Vitamin ZN, Vitamin ZO, Vitamin ZP, Vitamin ZQ, Vitamin ZR, Vitamin ZS, Vitamin ZT, Vitamin ZY, Vitamin ZZ

QUALITY ANALYSIS	
Minimum Crude Protein	42%
Minimum Crude Fat	9%
Minimum Crude Fibre	2%
Maximum Moisture	8%

www.akakoi.com

Available from our Supply Officers.

A Basic Guide to Classifying Koi

Introduction

Interestingly, even the most experienced koi hobbyist will occasionally come across a koi difficult to classify, because within the basic show varieties, new sub-categories keep turning up. A good example is the relatively recent development of the Ginga (galaxy – photo 1), a metallic Matsukawabake (metallic black fully scaled koi with variable white areas).



Photo 1

While thirteen show classes are most commonly used in the UK, elsewhere in the world, some varieties of koi are so numerous at shows they are given their own separate class. For example, Goshiki (photo 2 - five colours), generally classified in Koromo is often “stand-alone” at large Zen Nippon Airinkai (ZNA) shows in Japan and Asia.

Although there are popular, easily recognisable groups of koi like Kohaku (red and white) or Ogon (metallic single coloured koi), it is important to learn to look for particular features, which will also help you classify less well-know koi. Some of these recognition



Photo 2

points will be included in the overview of each show class discussed below, together with actual varieties currently shown in that category as well as important variety-specific appreciation points.

Important Characteristics Common to all Koi

For every koi, of any variety, certain appreciation points must always be considered, the most critical of which is **conformation**: the overall shape and proportions of head, body and fins. Without good conformation, you cannot have a good koi, regardless of the excellence of other features.

Of those other features, the quality of the skin is the second most important point to recognise for any koi, manifest as clarity, depth and homogeneity of colour. Good skin looks smooth, silky and glowing on non-metallic varieties. On metallic koi, the shine should be mirror-bright.

Third and finally (perhaps easily forgotten),

every koi needs to show itself to best advantage. That is, it needs to be healthy and in a good environment to present an active, interested and free swimming impression.

Show Class (1) – Kohaku (photo3)

Defining features: a non-metallic, white Koi with solid red (*beni* or *hi*) patterns which must appear on head and body. Individual Kohaku names are pattern-based, for example, Maruten Kohaku means the head pattern is separate from the body pattern. Nidan, Sandan and Yondan Kohaku refer to two, three and four pattern steps along the back. **Kanoko** (dappled fawn) Kohaku are included in Kawarimono (see below).

Important Characteristics: White skin on Kohaku should be snowy white from nose to tail, appearing very smooth. White on the nose and before the tail are highly desirable features for Kohaku, as are white breaks between red pattern elements. These breaks allow appreciation of sharply defined, trailing hi pattern edges (*kiwa* i.e. facing the tail). Because at the leading edge, white overlaps red, a little blurring (*sashi*) is acceptable in this area. Large red patterns are most impressive, but ideally,



Photo 3

should not cover eyes or cheeks, or run into fins.

Common problems for Kohaku are:

- Yellowing of the white skin, especially on the head and fins
- Uneven hi.
- Development of secondary red or “Asagi Hi” speckles along the sides below the lateral line.
- Development of small (scale-sized or less) black marks called shimis.
- Pattern-related problems, for example, an entirely red head (*menkaburi*).

Did you know? Desirable colour of red has changed over the years. Originally dark and purple-based, today a more orange-based, lighter shade of red is considered more elegant.

Show Class (2) - Taisho Sanke (Usually referred to as Sanke – photo 4)

Defining features: a non-metallic, white Koi with solid red (*beni* or *hi*) and black (*sumi*) patterns on the body. The head of a Sanke is expected to be red and white only. All fins may



Photo 4



Photo 5



Photo 7



Photo 6

carry fine black stripes (*tejima* or *tezumi*). A Sanke with almost no visible white is called an **Aka Sanke**. **Kanoko Sanke** appears in Kawarimono (see below).

Important Characteristics: Red and white patterns on a Sanke should ideally fulfil the same criteria as those for Kohaku. An exception is the Aka Sanke, where almost the entire Koi is red, with black patterns superimposed. Sumi markings should look coal black, dense and very glossy with sharply defined edges, particularly trailing edges (*kiwa*). Black is preferred over white, but may also appear over red. Black patterns should be neatly arranged along the back, ideally, beginning with a large shoulder marking (*Tsubo*, or well – placed *sumi*).

Common Problems: include those listed for Kohaku **plus**;

- Poor quality, thin, dull-looking sumi, which never improves.
- Large numbers of very small black speckles (*jari sumi*).
- Poor edges to sumi markings. Good *kiwa* of



Photo 8

sumi is difficult to achieve.

- Sumi pattern-related problems, for example, lack of balance shoulders to tail.

Did you know? Desirable size and number of Sanke sumi markings has changed over time. Now quite large and relatively numerous, years ago, the “minimal Sanke” was popular.

Show Class (3) - Showa Sanshoku (usually known as Showa – photo 5)

Defining Features: **Recognise** the non-metallic, black, red and white **Showa** by extensive, deeply wrapping black (*sumi*) patterns around the body, plus sumi on head, nose and pectoral fin joints (*motoguro*). A **Kindai** or modern Showa has fewer sumi markings. A **Hi** (red) **Showa** has very little white. **Kage Showa** has grey-reticulated white. **Kanoko Showa** is classified with Kawarimono (see below).

Important Characteristics: Red (*hi*) and

white patterns on a Showa should ideally fulfil the same criteria as those for Kohaku, except for Hi Showa, where almost the entire body is red, with black patterns only. Sumi is expected to look glossy, blue-black and very dense. Although not all sumi may look solid, (providing an attractive reticulated effect), some areas must be, for excellence. Edges of black patterns should be sharp, except where a leading edge is over white. Here, blurring (*sashi of sumi*) gives a desirable three-dimensional effect. Although white on the nose and before the tail is ideal, either red or black appearing as a match in the same positioning is also acceptable for Showa.

Common Problems include those listed for Kohaku and Sanke **plus**;

- Genetic defects, for example a small, pointed head, bent spine or deformed mouth, seem to be more common for Showa than many other varieties.

Did you know? Thin, dull or greyish “unfinished” sumi on Showa is probably a carryover from original Tetsu or “Iron” Magoi ancestors.

Show Class (4) - Utsurimono – Shiro Utsuri (photo 6), Hi Utsuri (photo 7), Ki Utsuri

Defining Features: Black (*sumi*) with white (*shiro*), red (*beni* or *hi*) or yellow (*ki*) two coloured, non-metallic Koi. **Recognise** non-metallic **Utsurimono** by sumi patterns. They are in the same configuration as those described for Showa but with only **one** other colour. **Kage** (Shiro, Hi, Ki) **Utsuri** (photo 8) has grey-reticulated white, red or yellow skin (classified with Kawarimono).

Important Characteristics: Base white, red or yellow should be evenly developed in all areas without spots or stains. Shiro Utsuri is the most popular Koi of the group; its stark black and bluish-white beauty is very eye catching. Sumi, as for Showa, must be dense and glossy with sharp trailing edges, the pattern leading the



Photo 9

eye from nose to tail. On Shiro Utsuri, black pectoral fin joints (*motoguro*) are also expected.

Common Problems:

- Poor growth characteristics. Utsurimono do not often achieve a very large size.
- Yellowing of white skin on Shiro Utsuri.
- Poor quality black, which looks thin (scales visible through it), uneven and dull.
- Rough looking, jagged edges to the black patterns.
- The base colour spotted with numerous tiny black speckles.
- On Hi and Ki Utsuri, completely black fins and very heavy black patterns

Did you know? (a) On Hi or Ki Utsuri pectoral fins are striped with *sumi*, rather than showing *motoguro* and (b) in recent years, Shiro Utsuri has become almost as popular as “the big three” (Kohaku, Sanke and Showa), due to tremendous improvements in their quality and black pattern stability.




Photo 10

Show Class (5) - Bekko – Shiro Bekko (photo 9), Aka Bekko, Ki Bekko

Defining Features: **Recognise** the white (*shiro*), red (*beni*, *hi*, *aka*) or yellow (*ki*) non-metallic **Bekko** by its fairly small, rounded, Sanke-style black (*sumi*) markings. No black should appear on the head of a Bekko although small markings are seen occasionally. All fins may carry light black stripes (*tejima* or *tezumi*).

Important Characteristics: White should look snowy white from nose to tail, showing no stains, or small black speckles. On Aka or very rare Ki Bekko base red or yellow should look even and strongly coloured with no white areas visible. *Sumi* markings should be neatly arranged along the back in a “stepping stone” pattern, ideally beginning with a distinctive shoulder marking. *Sumi* quality and pattern edge requirements are the same as for Sanke.

Common Problems:

- Yellowing of the white skin on (particularly male) Shiro Bekko.



Photo 11

- Black patterns can be either too light, scattered as many small spots or too extensive and heavy. Bekko must look neat.
- Poor sumi pattern edges. Good kiwa of sumi is difficult to achieve.

Did you know? Bekko are not bred as a group, they only appear “accidentally” from (usually) Sanke spawnings therefore are effectively “rare Koi”. Unfortunately, they are also not very popular, so not many are seen.

Show Class (6) – Koromo - Ai Goromo, Sumi Goromo (photo 10), Budo Goromo, Koromo Sanke, Koromo Showa, Traditional Goshiki (see photo 2), Modern (true) Goshiki, Goshiki Sanke, Goshiki Showa

Defining Features: **Recognise** non-metallic Koromo by their feature of a blue or black reticulated effect or **vignette**. The vignette covers red (*hi*) patterns only for **Ai, Sumi & Budo Goromo, Koromo Showa or Koromo Sanke**. **Traditional Goshiki** have a vignette over red and

white and **Modern Goshiki** over white skin only. **Goshiki Sanke** or **Showa** can be Traditional or Modern Goshiki types with additional Sanke or Showa style black (*sumi*) markings.

Important Characteristics: Points already discussed for Kohaku red and white patterns are also important for Koromo, and red patterns for Goshiki, including appearance of pattern edges. For crossbred Koi (i.e. Koromo (or Goshiki) Sanke and Showa), appropriate black (*sumi*) pattern characteristics apply. The blue or black vignette effect is expected to be sharply defined, wherever it appears. Koromo usually show beautiful blue sashi at the leading edge of each red pattern element, because of the vignette effect. Goshiki are a very mixed group. White skin can appear almost black on some, on others the vignette effect is grey and indistinct. Modern Goshiki are not expected to show any vignette over red patterns.

Common Problems: include those listed for Kohaku and for Sanke or Showa sumi when present (e.g. on Koromo Showa) **plus;**

- An uneven and/or blurred vignette.

Did you know? Koromo means “robed” or “veiled”, referring to the usual appearance of the vignette, darkest at the trailing edges of scale areas.

Show Class (7) - Asagi/Shusui (photo 11) – Konjo Asagi, Narumi Asagi, Hi Asagi, Taki Asagi, Mizu Asagi, Hana Shusui, Hi Shusui (photo 12).

Defining Features: Non-metallic Asagi and Shusui are blue koi with a dark blue ‘pine-cone’ wedge to each scale area (*vignette*). **Asagi** are fully scaled (*wagoi*), whereas **Shusui** are “*doitsu*”, meaning they have only a maximum of four lines of scales, two along the dorsal line and one along each lateral line. Asagi and Shusui usually have some red (*beni* or *hi*) around the nose and cheeks, along the body and in the fins. The different names (i.e. Konjo, Hana) refer to shade of blue or level / position of red. For example, a **Hana Shusui** has narrow red patterns between dorsal and lateral scale lines.



Photo 12

Important Characteristics: Critical points for Asagi and Shusui include a spotlessly clean, light blue or white head and a very clearly defined vignette effect, each scale area showing a neat, darker blue, 'pine cone' pattern. Hi should look 'fiery' bright, and neatly bordered wherever it appears. For Shusui, along the dorsal line, the scales should look very neatly laid, in two complete rows, without any odd, (redundant) scales and the skin between scale lines should show no spots or stains.

Common Problems:

- Yellowing or staining of the head.
- Development of large numbers of tiny black spots on the body.
- Dull, brownish or washed out red colour.
- Grey, rather than blue colour.
- A blurred, indistinct vignette.
- For Shusui, incomplete scale lines, redundant, out of line scales or poorly shaped mismatched scales within the lines.



Photo 13

Did you know? Asagi, from Asagi Magoi (Japanese food fish), is probably the earliest recognised Koi, appearing by natural mutation in the 19th Century.

Show Class (8) - Tancho – Tancho Kohaku, Tancho Sanke (photo 13), Tancho Showa

Defining Features: **Recognise** non-metallic Tancho by the red (*beni* or *hi*) marking on the head **ONLY**. No red patterns should appear on the body.

Important Characteristics: The Tancho marking on the head is a key feature, hi should look even, thick and clear bordered with no overlap onto eyes, cheeks, nose or shoulders. A round marking is most desirable, although other shapes (square or lobed like a flower) are acceptable. White skin needs to be pure white without spots or stains. Black (*sumi*) patterns



Photo 14

(Sanke or Showa style) should look well developed; dense, shiny, bluish-black with neat trailing edges (*kiwa*). Leading edges can show a narrow blue border (*sashi*). Because the body is white only, Tancho Kohaku must show very even scale lines (*kokenami*).

Common Problems: include those listed for Kohaku, Sanke & Showa **plus**;

- The Tancho marking extends over an eye, down the nose or onto the shoulders.
- A few small red spots appear on the body. The Koi cannot be called a Tancho.
- Uneven, thin and/or poorly edged Tancho hi.

Did you know? The word “Tancho” derives from the Japanese crane, a white bird with a round red crest.

Show Class (9) – Kin-Gin-Rin (A) - Kin-Gin-Rin Kohaku (photo 14), Kin-Gin-Rin Sanke, Kin-Gin-Rin Showa

Defining features: **Recognise** kin-gin-rin koi by three or more lines of very shiny (mirror-like) scales along each side of the dorsal fin. To be classified in **Kin-Gin-Rin A**, the base variety must be Kohaku, Sanke or Showa. **Gin-Rin Shiro Utsuri** is sometimes included with Kin-Gin-Rin A (ZNA). *Kin* scales are gold (over yellow/ red/ brown), *gin* scales silver (over white / grey / black).

Important Characteristics: Sections discussing Kohaku, Sanke, Showa & Utsurimono give the important points for each basic variety, unchanged for Kin-Gin-Rin as it is an “add on” feature, although creating a separate show classification.

Kin-gin-rin may be:

- *Beta* (complete shiny scale),
- *Hiroshima* (shiny lines on each scale – “cracked glass” appearance),
- *Pearl* (lumpy, shiny deposit in the centre of each scale).

Beta-gin is considered best, although Hiroshima-gin is the most common. Kin-gin-rin scale lines must be complete from shoulders to tail and the shine very even over the entire back, for excellence. Large numbers of kin-gin-rin scale lines reaching down the sides are highly regarded.

Common Problems: include those listed for Kohaku, Sanke, Showa & Utsurimono **plus**;

- Kin-gin-rin may be poor quality, insufficiently shiny, uneven or only appearing on scale edges (*Kado-gin*)
- Kin-gin-rin may impact detrimentally on other pattern features. For example, blurring trailing edges (*kiwa*) of red or black pattern elements.

Did you know? Practically every known variety of Koi can produce a Kin-Gin-Rin equivalent, for example, **Gin-Rin Asagi**. Some Koi societies have a Kin-Gin-Rin (B) class for them (ZNA – photo 15).



Photo 15



Photo 16



Photo 17



Photo 18



Photo 19

Show Class (9) - Kawarimono or Kawarigoi – Group 1 (Single Coloured Koi) Chagoi, Sorogoi, Kigoi, Benigoi (photo 16), Midorigoi, Shiro Matsuba, Ki Matsuba, Aka Matsuba). Group 2 (Karasugoi) Hajiro (photo 17), Hageshiro, Yotsushiro, Matsukawabake, Suminagashi, Kumonryu (photo 18), Beni Kumonryu). Group 3 (Others) Ochiba Shigure (photo 19), Sanke-Shusui, Showa-Shusui, Utsuri-Chagoi, Kanoko Kohaku, Kanoko Sanke, Kanoko Showa, Kage Shiro Utsuri (see photo 8), Kage Ki Utsuri, Kage Hi Utsuri, Kage Showa).

Defining Features: **Group 1** includes single coloured, non-metallic Koi, with or without a 'pine cone' reticulated effect over all scale areas (Matsubagoi).

Group 2 includes all the Karasugoi; black Koi, the names indicate varying amounts of



Photo 20

white. Beni Kumonryu is an exception, also showing red (*hi*). Kawarigoi can be either fully or partially scaled (*doitsu*). Kumonryu are always *doitsu*.

Group 3 includes all other unclassified Koi. Ochiba Shigure is a good example. Some have a particular feature, which renders them non-competitive in their original variety (for example, Kage Shiro Utsuri, Kanoko Kohaku). Groups 2 & 3 may include metallic varieties. For example, ZNA classify **Ginga, Ki Kokuryu** and **Kin Ki Kokuryu** (photo 20) in Kawarimono.

Important Characteristics:

- - Single coloured Koi (group 1) must show homogeneous, bright, unstained colour from nose to tail, including all fins. Scale lines (*kokenami*) must also be even, giving a neat, faintly netted appearance. For Matsuba, the vignette needs to be sharply contrasting in colour with clear edges.
- Largely black Karasugoi (group 2) should



Photo 21

look like polished ebony, so deeply black that no scales are visible. Where white or red is present its colour should be even and unstained. Edges between black, white and red areas should be sharply defined, particularly on doitsu varieties like Kumonryu.

- For group 3 koi, particular points largely follow those of the basic varieties. Kage and Kanoko effects should look sharply defined. Ochiba Shigure patterns are expected to be in a 'Kohaku-style'. A faint black vignette, sometimes seen on this variety, must be neat.

Common Problems: include many relevant to basic varieties for group 3 koi **plus generally**;

- Spots and stains on head and / or body.
- Yellowing of white skin.
- Poor quality, dull, uneven colours.
- Blurring of pattern edges or vignette.
- Uneven scale lines
- Over-patterning results in a messy presentation.

Did you know? *Kawari* means “something strange”, which perhaps defines the group in two words. Non-metallic Koi, which cannot be placed in any other classification, are all in Kawarigoji

Show Class (11) - Hikari Utsuri – Gin Shiro Utsuri, Kin Ki Utsuri, Kin Hi Utsuri, Kin Showa (photo 21).

Defining features: **Recognise** Hikari Utsuri as the metallic equivalents to Utsurimono and Showa varieties. They are expected to have black patterns on the head, as pectoral fin joints (*motoguro* – **Kin Showa, Gin Shiro Utsuri**) or broad stripes (*tejima, tezumi* – **Kin Ki / Kin Hi Utsuri**) and as deeply wrapping, large, jagged patterns on the body. Kin Showa is silver based with gold or metallic red and black patterns. The metallic Utsuri have black patterns on a silver, gold or metallic orange / red base. Doitsu versions are occasionally seen.

Important Characteristics: Include those listed for the basic non-metallic Showa and Utsurimono. Additionally, as for any metallic Koi, good lustre is highly desirable, but difficult to achieve alongside deep colours like red and black. Unusually, a clear silver window on the head of Kin Showa is a plus, because the silver base should be incredibly shiny and shows to greatest advantage on the head. Leading edges, as well as trailing edged of patterns should be sharp on Hikari Utsuri because of the reflective skin.

Common Problems: include those listed for Showa & Utsurimono as well as:

- Faded colours (red (*hi*) is often gold, black patterns may look brownish or pewter coloured.
- Poor or uneven lustre (shine).

Did you know? A top quality, large Kin Showa is very highly prized because they are one of the most difficult varieties to achieve to a high standard.

Show Class (12) Hikarimuji – Purachina (Platinum) Ogon, Nezu (Mouse – grey) Ogon, Cream Ogon, Lemon Ogon, Yamabuki (photo 22 - bright gold) Ogon, Orenji (orange) Ogon, Hi (deep red) Ogon, Gin Matsuba (photo 23), Kin Matsuba, Kin Hi Matsuba, Mizuho Ogon.

Defining Features: Single coloured metallic Koi ranging from bright silver to deep red, plus those with an additional ‘pine cone’ reticulated effect, or vignette, over all scale areas (**Matsubagoi**). Hikarimuji may be either fully scaled or doitsu.

- Important Characteristics: High lustre or ‘shine’ demonstrates excellent skin quality and is a critical feature for all metallic koi. It is harder to obtain for the darker metallic colours. Additionally, Hikarimuji are plain koi therefore imperfections of colour and scale lines (*kokenami*) are very noticeable. The Matsuba varieties require sharp definition of the vignette.

Common Problems:

- Insufficient and uneven lustre.



Photo 22

- Dark spots and stains appearing on head and/or body.
- Uneven colour and/or scaling.

Did you know? Hikarimuji (or Ogon) probably appeal to a wider range of people than any other variety of Koi. With their brightly shining beauty, they are real “show-stoppers” and have done much to promote the Koi hobby over the years.

Show Class (13) - Hikarimoyo – Hariwake Ogon or Platinum Kohaku, Kikusui (doitsu Hariwake Ogon – photo 24), Kujaku (photo 25), Yamatonishiki, Shochikubai, Tora Ogon, Gin Bekko, Kinsui / Ginsui, Sakura Ogon, Ki Kokuryu, Kin Ki Kokuryu, Ginga

Defining Features: **Recognise** fully scaled or doitsu Hikarimoyo as metallic versions of most varieties except Showa & Utsurimono.

For example, **Yamatonishiki** is a metallic Sanke, **Tora Ogon** a metallic **Ki Bekko**.

With the exception of **Ki Kokuryu, Kin Ki Kokuryu** (see photo 20) & **Ginga** (sometimes classified with Kawarimono) Hikarimoyo are



Photo 23



Photo 24

not expected to have black on the head or as pectoral fin joints (*motoguro*). The well-known **Kujaku** (Peacock) is patterned similarly to Hariwake Ogon (silver with gold/orange/red patterns), with the additional feature of a vignette, like a metallic Goshiki.

Important Characteristics: Excellent shine heads the list for every metallic koi. Also required is good colour contrast between the silver base and pattern elements. Where red (*hi*) is present, the colour should be as deep as possible. In contrast to non-metallic Koi, all patterns edges on metallic varieties should look sharp; no *sashi* (the blurred leading edge of a pattern should be visible. Pattern elements should look balanced and fit the koi. The vignette on Kujaku should look sharply defined in all areas. Interestingly, a silver window on the head is a desirable feature for Hikarimoyo like Kujaku and Hariwake Ogon.

Common problems: Include those discussed for



Photo 25

Kohaku and Sanke with respect to pattern and edges, as well as;

- Colours may lack contrast. It is difficult to achieve deep metallic red and black.
- Black spots and stains, particularly on the head and fins, often appear on many Hikarimoyo.

Did you know? Hikarimoyo are comparable in their diversity to Kawarimono, with a common metallic theme.

Jargon Busters

Kanoko (dappled fawn) - hi appears as scale-sized spots, rather than solid hi patterns.

Kage (shadowed) - white skin has a faint grey vignette.

Doitsu (German scales) - a maximum of four scale lines. Two along the dorsal line and one at each lateral line.

Vignette – every scale area shows a wedge of grey, black or blue, depending upon koi variety.

Ochiba Shigure (autumn leaves on water)

- grey koi with orange/brown Kohaku-style patterns).

Sanke or Showa Shusui, Utsuri Chagoi - cross-bred koi with features of both parents.

Chagoi – brown koi.

Sorogoi – grey koi.

Midorigoi – green (usually doitsu) koi.

Benigoi – bright red koi.

Kigoi – yellow koi (with red eyes).

Shiro Matsuba – white koi with a black ‘pine-cone’ vignette.

Ki Matsuba – yellow koi with a black ‘pine-cone’ vignette.

Aka Matsuba – red koi with a black ‘pine-cone’ vignette.

Karasugoi – fully scaled black or ‘crow’ koi.

Hajiro –Karasugoi with white fin tips.

Hageshiro –Hajiro with white on the head.

Yotushiro - Hajiro with white on the head and dorsal area.

Matsukawabake – Karasugoi type with quite extensive, unstable white patterning.

Suminagashi – Karasugoi with a complete white vignette.

Kumonryu – doitsu black koi with white

patterns running laterally along the body.

Beni Kumonryu – Kumonryu with variable additional red patterns.

Ginga – metallic Matsukawabake.

Ki Kokuryu – metallic Kumonryu.

Kin Ki Kokuryu – metallic Beni Kumonryu type.

Hariwake Ogon or **Metallic Kobaku** – metallic white koi with gold/orange/red patterns.

Sakura Ogon – a metallic Kanoko (dappled red) Kohaku.

Kikusui – doitsu version of the Hariwake Ogon.

Yamatonishiki – metallic Sanke.

Kujaku – metallic white koi with gold/orange/red patterns and a ‘pine-cone’ vignette over white and red, as for Traditional Goshiki.

Tora Ogon – metallic Ki (yellow) Bekko.

Gin Bekko – metallic Shiro Bekko.

Shochikubai – metallic Koromo.

Kin or **Ginsui** – metallic Shusui (Kinsui has more red).

Kate McGill



New air pumps for sale



The Club has available new Hi-Blow Air Pumps (made in Japan).

Sizes 20 litre hour capacity (\$215), 40 litre (\$230), 60 litre (\$240) & 80 litre (\$270).

Available at our meeting nights or through our Supply Officers.

Table show results

August 2011

Kohaku

1st Terry McNeil & Lex Rayment; 2nd Graham Farneli

Hikari Utsuri

1st Terry McNeil & Lex Rayment

Metallic Matsuba

1st Terry McNeil & Lex Rayment

Metallic Doitsu

1st Graham Farneli

Koromo

1st Terry McNeil & Lex Rayment

Kinginrin A

1st Terry McNeil & Lex Rayment

Judge: John Rhodes

Judge's Choice: Kohaku, Terry McNeil & Lex Rayment



August Judges' Choice: Kohaku, Terry McNeil & Lex Rayment

September 2011

Kohaku

1st Ian Andrews & Kate McGill

Sanke

1st Fred & Rita Grech

Showa

1st Ian Andrews & Kate McGill

Utsuri

1st Ian Andrews & Kate McGill

Tancho

1st Fred & Rita Grech

Hikari Utsuri

1st Fred & Rita Grech

Non Metallic Doitsu

1st Brad Bradley

Kinginrin A

1st Fred & Rita Grech; 2nd Fred & Rita Grech

Kinginrin B

1st Fred & Rita Grech; 2nd Shane Murray

Judge: John Rhodes

Judge's Choice: Hikari Utsuri (Kin Ki Utsuri), Fred & Rita Grech



September Judge's Choice: Hikari Utsuri (Kin Ki Utsuri), Fred & Rita Grech